MEMBRAPOR

SPECIFICATION SHEET FOR SO₂ SENSOR TYPE SO₂/S-20

PERFORMANCE CHARACTERISTICS

| Nominal Range | 0 – 20 ppm |
|---|------------------------|
| Maximum Overload | 100 ppm |
| Expected Operation Life | 2 years in air |
| Output Signal | 1000 ± 300 nA/ppm |
| Resolution | 0,1 ppm |
| Temperature Range | - 20 °C to 45 °C |
| Pressure Range | Atmospheric ± 10% |
| Pressure Coefficient | No data |
| T ₉₀ Response Time | < 20 sec |
| Relative Humidity Range | 15 % to 90 % R.H. |
| | non-condensing |
| Typical Baseline Range (pure air, 20°C) | < 0,1 ppm |
| Maximum Zero Shift (+20°C to +40°C) | N.D. |
| Long Term Output Drift | < 2% signal loss/month |
| Recommended Load Resistor | 10 Ohm |
| Bias Voltage | Not required |
| Repeatability | < 2 % of signal |
| Output Linearity | Linear |

CROSS-SENSITIVITY DATA

| Interfering Gas | Concentration | Reading |
|------------------|---------------|------------|
| СО | 100 ppm | < 1 ppm |
| H ₂ S | 34 ppm | ~ 30 ppm |
| NO | 100 ppm | 0 ppm |
| NO ₂ | 100 ppm | ~ -125 ppm |
| H ₂ | 100 ppm | < 1 ppm |
| Ethylene | 100 ppm | 0 ppm |

Performance data conditions: 20 °C, 50% RH and 1013 mbar


APPLICATIONS


Safety and Environmental Control

PHYSICAL CHARACTERISTICS

| Weight | ~ 32 g |
|----------------------|---------------------|
| Position Sensitivity | None |
| Storage Life | Six months in |
| | container |
| Recommended Storage | 5 °C – 20 °C |
| Temperature | |
| Warranty Period | 12 months from date |
| | of dispatch |

Standard-Size Outline Dimensions





The data contained in this document is for guidance only. Membrapor AG accepts no liability for any consequential losses, injury or damage resulting from the use of this document or the information contained within it. The data is given for guidance only. Customers should test under their own conditions, to ensure that the sensors are suitable for their own requirements.

REV.: 6/2006

Phone: +41 43 311 72 00 Fax : +41 43 311 72 01 Email: info@membrapor.ch www.membrapor.ch Page 1 of 1

MEMBRAPOR AG Rautistrasse 164 CH-8048 Zürich Switzerland